AUTHOR INDEX TO VOLUME 72

ABRIL, M. see CURRY, K.J. (6) 933
ADACHI, H. A portable, electrical-based percussion coring system for use in deep water (5) 727
ADATTE, T. see JOHN, C.M. (2) 252
AL-AASM, I.S. see KETZER, J.M. (6) 760
ANSELMETTI, F.S. see KENTER, J.A. (1) 129
ARDIES, G.W. Controls of the geometry of incised valleys in the Basal Quartz unit (Lower Cretaceous), Western Canada Sedimentary Basin (5) 602
AVANT, J.B. see CURRY, K.J. (6) 933

BAAS, J.H. Turbulence modulation in clay-rich sediment-laden flows and some implications for sediment deposition (3) 336
BADERTSCHER, C. see JOHN, C.M. (2) 252
BAHAMONDE, J.R. see DELLA PORTA, G. (6) 898
BAHAMONDE, J.R. see IMMENHAUSER, A. (1) 82
BALCOM, B.J. see GINGRAS, M.K. (4) 552
BALDELLON, E. see HORTON, B.K. (5) 711
BALSILLIE, J.H. Plotting equation for Gaussian percentiles and a spreadsheet program for generating probability plots (6) 929
BANERJEE, D.M. see JIANG, G. (4) 524
BENNETT, R.H. see CURRY, K.J. (6) 933
BEST, J.L. see BAAS, J.H. (3) 336
BESTLAND, E.A. Fossil Andisols identified with mass-balance geochemistry (Oligocene, John Day Formation, Oregon, U.S.A.) (5) 673
BLOCH, J.I. see BOWEN, G.J. (1) 46
BLOMEIER, D.P. Facies architecture of an Early Jurassic carbonate platform slope (Jbel Bou Dahar, High Atlas, Morocco) (4) 462
BOGGS, S. Is quartz cathodoluminescence color a reliable provenance tool? A quantitative examination (3) 408
BONE, Y. see KYSER, T.K. (1) 146
BORSATO, A. see FRISIA, S. (5) 687
BOTTJER, D.J. see PARRISH, J.T. (5) 742
BOUCH, J.E. Authigenic apatite in a fluvial sandstone sequence: evidence for rare-earth element mobility during diagenesis and a tool for diagenetic correlation (1) 59
BOUCHET, A. see SAMMARTINO, S. (6) 937
BOUMANS, R. see CAHOON, D.R. (5) 730
BOWEN, G.J. Petrography and geochemistry of floodplain limestones from the Clarks Fork Basin, Wyoming, U.S.A.: carbonate deposition and fossil accumulation on a Paleocene–Eocene floodplain (1) 46
BRAISSANT, O. see VERRECCHIA, E.P. (6) 944
BRYCE, S.M. see HARRIS, P.T. (6) 0
BUCK, S.G. see PRESTON, J. (1) 18
BUDD, D.A. Quantification of macroscopic subaerial exposure features in carbonate rocks (6) 917
BUDD, D.A. The relative roles of compaction and early cementation in the destruction of permeability in carbonate grainstones: a case study from the Paleogene of west-central Florida, U.S.A. (1) 116
BUMBY, A.J. see SIMPSON, E.L. (1) 40
BUTLER, K.M. see BALSILLIE, J.H. (6) 929

CAHOON, D.R. High precision measurement of wetland sediment elevation: II. The rod surface elevation table (5) 734
CAHOON, D.R. High precision measurements of wetland sediment elevation: I. Recent improvements to the sedimentation–erosion table (5) 730
CANCLINI, S. see GARZANTI, E. (1) 2
CAPO, R.C. see WHIPKEY, C.E. (1) 158
CHADWICK, O.A. see WHIPKEY, C.E. (1) 158
CHAFETZ, H.S. see WU, Y. (1) 138
CHEN, W. Aerodynamic and geometric diameter of airborne particles—Reply (3) 442
CHENERY, S. see BOUCH, J.E. (1) 59
CHRISTIE-BLICK, N. see JIANG, G. (4) 524
CURRY, C. see CURRY, K.J. (6) 933
CURRY, K.J. A technique for processing undisturbed marine sand sediments and reconstructing fabric and porometry (6) 933

DALRYMPLE, R.W. see ARDIES, G.W. (5) 602
DASGUPTA, P. Determination of paleocurrent direction from oblique sections of trough cross-stratification—a precise approach (1) 217
DAY, J.W., Jr. see CAHOON, D.R. (5) 730
DE KAENEL, E. see JOHN, C.M. (2) 252
DE SWAAF, A. see KLEINHANS, M.G. (5) 629
DEAN, W.E. The lacustrine carbon cycle as illuminated by the waters and sediments of two hydrologically distinct headwater lakes in north-central Minnesota, U.S.A. (3) 416
DELLA PORTA, G. Lithofacies character and architecture across a Pennsylvanian inner platform transect (Sierra De Cuera, Asturias, Spain) (6) 898
DEMICCO, R.V. The ''carbonate factory'' revisited: a reexamination of sediment production functions used to model deposition on carbonate platforms (6) 849
DEUTZ, P. Morphology and stable and radiogenic isotope composition of pedogenic carbonates in late Quaternary relict soils, New Mexico: an integrated record of pedogenic overprinting (6) 809
DICKINSON, J.A. Origin and timing of the Miocene–Pliocene unconformity in southeast Australia (2) 288
DONOGHUE, J.F. see BALSILLIE, J.H. (6) 929
DROSER, M.L. see PARRISH, J.T. (5) 742

EHRENBERG, S.N. Cement geochemistry of Photozoan carbonate strata (Upper Carboniferous–Lower Permian), Finnmark Carbonate Platform, Barents Sea (1) 95
EHRENBERG, S.N. Postdepositional Sm/Nd fractionation in sandstones: implications for neodymium-isotope stratigraphy (2) 304
EMBRY, A.F. A Triassic upwelling zone: the Shublik Formation, Arctic Alaska, U.S.A.—Discussion (5) 740
ENOS, J.S. Diagenesis of the Carrizo Sandstone at Butler Salt Dome, East Texas basin, U.S.A.: evidence for fluid–sediment interaction near halokinetic structures (1) 68
ERIKSSON, K.A. see SIMPSON, E.L. (1) 40
ERIKSSON, P.G. see SIMPSON, E.L. (1) 40
EVANS, K.R. Inexpensive Jacob's staff with laser sight (3) 449
EVANS, R. see KETZER, J.M. (6) 760

FAIRCHILD, I.J. see FRISIA, S. (5) 687
FAN, D. Rhythmic deposition on mudflats in the mesotidal Changjiang Estuary, China (4) 543
FISCHER, W. see MYROW, P.M. (5) 641
FOGG, G.E. see WEISSMANN, G.S. (2) 240
FOGGIA, F.M. see GARZANTI, E. (1) 2
FÖLLMI, K.B. see JOHN, C.M. (2) 252
FRISIA, S. Aragonite–calcite relationships in speleothems (Grotte de Clamouse, France): environment, fabrics, and carbonate geochemistry (5) 687
FRYREAR, D.W. see CHEN, W. (3) 442

GALLAGHER, S.J. see DICKINSON, J.A. (2) 288
GALLOWAY, W.E. Paleogeographic setting and depositional architecture of a sand-dominated shelf depositional system, Miocene Utsira Formation, North Sea Basin (4) 476
GANSSEN, G. see IMMENHAUSER, A. (1) 82
GARCIA-HIDALGO, J.F. Holocene eolian sediments on the southern border of the Duero basin (Spain): origin and development of an eolian system in a temperate zone (1) 30

JOURNAL OF SEDIMENTARY RESEARCH, VOL. 72, NO. 6, NOVEMBER, 2002, P. 956–959
Copyright © 2002, SEPM (Society for Sedimentary Geology) 1527-1404/02/072-956/$03.00

AUTHOR INDEX TO VOLUME 72

ABRIL, M. see CURRY, K.J. (6) 933
ADACHI, H. A portable, electrical-based percussion coring system for use in deep water (5) 727
ADATTE, T. see JOHN, C.M. (2) 252
AL-AASM, I.S. see KETZER, J.M. (6) 760
ANSELMETTI, F.S. see KENTER, J.A. (1) 129
ARDIES, G.W. Controls of the geometry of incised valleys in the Basal Quartz unit (Lower Cretaceous), Western Canada Sedimentary Basin (5) 602
AVANT, J.B. see CURRY, K.J. (6) 933

BAAS, J.H. Turbulence modulation in clay-rich sediment-laden flows and some implications for sediment deposition (3) 336
BADERTSCHER, C. see JOHN, C.M. (2) 252
BAHAMONDE, J.R. see DELLA PORTA, G. (6) 898
BAHAMONDE, J.R. see IMMENHAUSER, A. (1) 82
BALCOM, B.J. see GINGRAS, M.K. (4) 552
BALDELLON, E. see HORTON, B.K. (5) 711
BALSILLIE, J.H. Plotting equation for Gaussian percentiles and a spreadsheet program for generating probability plots (6) 929
BANERJEE, D.M. see JIANG, G. (4) 524
BENNETT, R.H. see CURRY, K.J. (6) 933
BEST, J.L. see BAAS, J.H. (3) 336
BESTLAND, E.A. Fossil Andisols identified with mass-balance geochemistry (Oligocene, John Day Formation, Oregon, U.S.A.) (5) 673
BLOCH, J.I. see BOWEN, G.J. (1) 46
BLOMEIER, D.P. Facies architecture of an Early Jurassic carbonate platform slope (Jbel Bou Dahar, High Atlas, Morocco) (4) 462
BOGGS, S. Is quartz cathodoluminescence color a reliable provenance tool? A quantitative examination (3) 408
BONE, Y. see KYSER, T.K. (1) 146
BORSATO, A. see FRISIA, S. (5) 687
BOTTJER, D.J. see PARRISH, J.T. (5) 742
BOUCH, J.E. Authigenic apatite in a fluvial sandstone sequence: evidence for rare-earth element mobility during diagenesis and a tool for diagenetic correlation (1) 59
BOUCHET, A. see SAMMARTINO, S. (6) 937
BOUMANS, R. see CAHOON, D.R. (5) 730
BOWEN, G.J. Petrography and geochemistry of floodplain limestones from the Clarks Fork Basin, Wyoming, U.S.A.: carbonate deposition and fossil accumulation on a Paleocene–Eocene floodplain (1) 46
BRAISSANT, O. see VERRECCHIA, E.P. (6) 944
BRYCE, S.M. see HARRIS, P.T. (6) 0
BUCK, S.G. see PRESTON, J. (1) 18
BUDD, D.A. Quantification of macroscopic subaerial exposure features in carbonate rocks (6) 917
BUDD, D.A. The relative roles of compaction and early cementation in the destruction of permeability in carbonate grainstones: a case study from the Paleogene of west-central Florida, U.S.A. (1) 116
BUMBY, A.J. see SIMPSON, E.L. (1) 40
BUTLER, K.M. see BALSILLIE, J.H. (6) 929

CAHOON, D.R. High precision measurement of wetland sediment elevation: II. The rod surface elevation table (5) 734
CAHOON, D.R. High precision measurements of wetland sediment elevation: I. Recent improvements to the sedimentation–erosion table (5) 730
CANCLINI, S. see GARZANTI, E. (1) 2
CAPO, R.C. see WHIPKEY, C.E. (1) 158
CHADWICK, O.A. see WHIPKEY, C.E. (1) 158
CHAFETZ, H.S. see WU, Y. (1) 138
CHEN, W. Aerodynamic and geometric diameter of airborne particles—Reply (3) 442
CHENERY, S. see BOUCH, J.E. (1) 59
CHRISTIE-BLICK, N. see JIANG, G. (4) 524
CURRY, C. see CURRY, K.J. (6) 933
CURRY, K.J. A technique for processing undisturbed marine sand sediments and reconstructing fabric and porometry (6) 933

DALRYMPLE, R.W. see ARDIES, G.W. (5) 602
DASGUPTA, P. Determination of paleocurrent direction from oblique sections of trough cross-stratification—a precise approach (1) 217
DAY, J.W., Jr. see CAHOON, D.R. (5) 730
DE KAENEL, E. see JOHN, C.M. (2) 252
DE SWAAF, A. see KLEINHANS, M.G. (5) 629
DEAN, W.E. The lacustrine carbon cycle as illuminated by the waters and sediments of two hydrologically distinct headwater lakes in north-central Minnesota, U.S.A. (3) 416
DELLA PORTA, G. Lithofacies character and architecture across a Pennsylvanian inner platform transect (Sierra De Cuera, Asturias, Spain) (6) 898
DEMICCO, R.V. The ''carbonate factory'' revisited: a reexamination of sediment production functions used to model deposition on carbonate platforms (6) 849
DEUTZ, P. Morphology and stable and radiogenic isotope composition of pedogenic carbonates in late Quaternary relict soils, New Mexico: an integrated record of pedogenic overprinting (6) 809
DICKINSON, J.A. Origin and timing of the Miocene–Pliocene unconformity in southeast Australia (2) 288
DONOGHUE, J.F. see BALSILLIE, J.H. (6) 929
DROSER, M.L. see PARRISH, J.T. (5) 742

EHRENBERG, S.N. Cement geochemistry of Photozoan carbonate strata (Upper Carboniferous–Lower Permian), Finnmark Carbonate Platform, Barents Sea (1) 95
EHRENBERG, S.N. Postdepositional Sm/Nd fractionation in sandstones: implications for neodymium-isotope stratigraphy (2) 304
EMBRY, A.F. A Triassic upwelling zone: the Shublik Formation, Arctic Alaska, U.S.A.—Discussion (5) 740
ENOS, J.S. Diagenesis of the Carrizo Sandstone at Butler Salt Dome, East Texas basin, U.S.A.: evidence for fluid–sediment interaction near halokinetic structures (1) 68
ERIKSSON, K.A. see SIMPSON, E.L. (1) 40
ERIKSSON, P.G. see SIMPSON, E.L. (1) 40
EVANS, K.R. Inexpensive Jacob's staff with laser sight (3) 449
EVANS, R. see KETZER, J.M. (6) 760

FAIRCHILD, I.J. see FRISIA, S. (5) 687
FAN, D. Rhythmic deposition on mudflats in the mesotidal Changjiang Estuary, China (4) 543
FISCHER, W. see MYROW, P.M. (5) 641
FOGG, G.E. see WEISSMANN, G.S. (2) 240
FOGGIA, F.M. see GARZANTI, E. (1) 2
FÖLLMI, K.B. see JOHN, C.M. (2) 252
FRISIA, S. Aragonite–calcite relationships in speleothems (Grotte de Clamouse, France): environment, fabrics, and carbonate geochemistry (5) 687
FRYREAR, D.W. see CHEN, W. (3) 442

GALLAGHER, S.J. see DICKINSON, J.A. (2) 288
GALLOWAY, W.E. Paleogeographic setting and depositional architecture of a sand-dominated shelf depositional system, Miocene Utsira Formation, North Sea Basin (4) 476
GANSSEN, G. see IMMENHAUSER, A. (1) 82
GARCIA-HIDALGO, J.F. Holocene eolian sediments on the southern border of the Duero basin (Spain): origin and development of an eolian system in a temperate zone (1) 30

JOURNAL OF SEDIMENTARY RESEARCH, VOL. 72, NO. 6, NOVEMBER, 2002, P. 956–959
Copyright © 2002, SEPM (Society for Sedimentary Geology) 1527-1404/02/072-956/$03.00

GARRISON, R.E. see HOPPIE, B. (2) 268
GARZANTI, E. Unraveling magmatic and orogenic provenance in modern sand: the back-arc side of the Apennine thrustbelt, Italy (1) 2
GASWIRTH, S.B. see BUDD, D.A. (6) 917
GEEL, C.R. see STORMS, J.E. (2) 226
GINGRAS, M.K. Ichnology and sedimentology reveal depositional characteristics of bay margin parasequences in the Miocene Amazonian foreland basin (6)
GINGRAS, M.K. Microbially induced sedimentary structures—a new category within the classification of primary sedimentary structures—Discussion (4) 587
GINGRAS, M.K. Using magnetic resonance imaging and petrographic techniques to understand the textural attributes and porosity distribution in *Macaronichnus*-burrowed sandstone (4) 552
GIRALT, S. Microbial biscuits of vaterite in Lake Issyk-Kul (Republic of Kyrgyzstan)—Reply (6) 946
GIRARD, J. Diagenesis of the Hild Brent Sandstones, northern North Sea: isotopic evidence for the prevailing influence of deep-basinal water (6) 746
GLADSTONE, C. The significance of grain size breaks in turbidites and pyroclastic density current deposits (1) 182
GLUMAC, B. Effects of Grand Cycle cessation on the diagenesis of Upper Cambrian carbonate deposits in the southern Appalachians, U.S.A. (4) 570
GOLDSTEIN, R.H. Recrystallization in quartz overgrowths (3) 432
GOLES, G.G. see BOGGS, S. (3) 408
GOODGE, J.W. see MYROW, P.M. (5) 641
GROEN, K. see VAN DAM, R.L. (3) 341
GROTZINGER, J.P. see PARSONS, J.D. (5) 619
GU, X.X. Provenance and tectonic setting of the Proterozoic turbidites in Hunan, south China: geochemical evidence (3) 393

HAMPTON, B.A. see HORTON, B.K. (5) 711
HARDIE, L.A. see DEMICCO, R.V. (6) 849
HARRIS, P.T. Classification of Australian coastal depositional environments based upon a qualitative analysis of wave, tidal, and river power (6) 858
HARTLEY, A. see PRESTON, J. (1) 18
HEAP, A.D. see HARRIS, P.T. (6) 858
HEGGIE, D.T. see HARRIS, P.T. (6) 858
HENSEL, P. see CAHOON, D.R. (5) 730
HENSEL, P. see CAHOON, D.R. (5) 734
HIGGS, R. Anomalous porosity and permeability preservation in deeply buried Teritary and Mesozoic sandstones in the Cusiana Field, Llanos foothills, Colombia—Discussion (3) 443
HOLDGATE, G.R. see DICKINSON, J.A. (2) 288
HOLE, M.J. see BOUCH, J.E. (1) 59
HOLE, M.J. see PRESTON, J. (1) 18
HOLLAND, R.D. see CAHOON, D.R. (5) 734
HOLLIS, C. Reconstructing fluid expulsion and migration north of the Variscan Orogen, northern England (5) 700
HOPPIE, B. The Cuyama strike-slip basin, California, U.S.A.: an exemplar of contrasting syntectonic and post-tectonic strata (2) 268
HORI, K. Evolution of the coastal depositional systems of the Changjiang (Yangtze) River in response to Late Pleistocene–Holocene sea-level changes (6) 884
HORTON, B.K. Tertiary provenance history of the Northern and Central Altiplano (central Andes, Bolivia): a detrital record of plateau-margin tectonics (5) 711
HOVER, V.C. K-uptake by modern estuarine sediments during early marine diagenesis, Mississippi Delta Plain, Louisiana, U.S.A. (6) 775
HSIEH, J.C. see WHIPKEY, C.E. (1) 158
HULBERT, M.H. see CURRY, K.J. (6) 933

IMMENHAUSER, A. Origin and significance of isotope shifts in Pennsylvanian carbonates (Asturias, NW Spain) (1) 82
IMMENHAUSER, A. see DELLA PORTA, G. (6) 898
ITO, M. Tectonic control of facies architecture in falling-stage deposits in a forearc basin: Upper Miocene Senhata Formation, Boso Peninsula, Japan (4) 491

JAMES, N.P. see KYSER, T.K. (1) 146
JIANG, G. Sequence stratigraphy of the Neoproterozoic Infra Krol Formation and Krol Group, Lesser Himalaya, India (4) 524
JOHANSEN, H. see GIRARD, J. (6) 746
JOHN, C.M. Carbonaceous and phosphate-rich sediments of the Miocene Monterey Formation at El Capitan State Beach, California, U.S.A. (2) 252
JONES, B. Dolostones from Grand Cayman, British West Indies (4) 559
JULIA, R. see GIRALT, S. (6) 946

KAHLE, C.F. Seismogenic deformation structures in microbialites and mudstones, Silurian Lockport Dolomite, northwestern Ohio, U.S.A. (1) 201
KARÁTSON, D. Preferred clast orientation in volcanoclastic mass-flow deposits: application of a new photo-statistical method (6) 823
KASSE, C. see VAN DAM, R.L. (3) 341
KATNICK, D.C. see ROWE, C.A. (1) 192
KAUFMAN, A.J. see JIANG, G. (4) 524
KAWAKAMI, G. Sediment flow and deformation (SFD) layers: evidence for intrastratal flow in laminated muddy sediments of the Triassic Osawa Formation, northeast Japan (1) 171
KAWAMURA, M. see KAWAKAMI, G. (1) 171
KAYANNE, H. see ADACHI, H. (5) 727
KENTER, J.A. Acoustic properties of "young" carbonate rocks, ODP Leg 166 and boreholes Clino and Unda, western Great Bahama Bank (1) 129
KENTER, J.A. see DELLA PORTA, G. (6) 898
KENTER, J.A. see IMMENHAUSER, A. (1) 82
KENTER, J.A. see VAN DAM, R.L. (3) 341
KETZER, J.M. Distribution of diagenetic alterations in fluvial, deltaic, and shallow marine sandstones within a sequence stratigraphic framework: evidence from the Mullaghmore Formation (Carboniferous), NW Ireland (6) 760
KHETANI, A.B. Sequence development of a mixed carbonate–siliclastic high-relief ramp, Mississippian, Kentucky, U.S.A. (5) 657
KLEINHANS, M.G. Sediment supply-limited bedforms in sand–gravel bed rivers (5) 629
KLERKX, J. see GIRALT, S. (6) 946
KOCH, J.L. see BALSILLIE, J.H. (6) 929
KOSTIC, S. Role of turbidity currents in setting the foreset slope of clinoforms prograding into standing fresh water (3) 353
KRAJEWSKI, K.P. see EMBRY, A.F. (5) 740
KRAMER, P.H. see KENTER, J.A. (1) 129
KRAUS, M.J. Basin-scale changes in floodplain paleosols: implications for interpreting alluvial architecture (4) 500
KRINSLEY, D. see BOGGS, S. (3) 408
KROONENBERG, S.B. see STORMS, J.E. (2) 226
KWON, Y. see BOGGS, S. (3) 408
KYLE, J.R. see ENOS, J.S. (1) 68
KYSER, T.K. Shallow burial dolomitization and dedolomitization of Cenozoic cool-water limestones, southern Australia: geochemistry and origin (1) 146

LACHARPAGNE, J. see GIRARD, J. (6) 746
LAREAU, B.N. see HORTON, B.K. (5) 711
LE ROUX, J. Aerodynamic and geometric diameter of airborne particles—Discussion (3) 441
LE ROUX, J. Shape entropy and settling velocity of natural grains (3) 363
LECKIE, D.A. see TAYLOR, K.G. (2) 316
LEGROS, F. Can dispersive pressure cause inverse grading in grain flows? (1) 166
LI, C. see FAN, D. (4) 543
LIU, J.M. see GU, X.X. (3) 393
LORENZ, J.C. Braided-river deposits in a muddy depositional setting: the Molina Member of the Wasatch Formation (Paleogene), west-central Colorado, U.S.A. (3) 376
LUTH, R.W. see JONES, B. (4) 559
LYNCH, J.C. see CAHOON, D.R. (5) 730
LYNCH, J.C. see CAHOON, D.R. (5) 734
LYONS, W.J. see PARSONS, J.D. (5) 619

MACMILLAN, B. see GINGRAS, M.K. (4) 552
MAHONEY, J.B. see ROWE, C.A. (1) 192
MANGE-RAJETZKY, M. see PRESTON, J. (1) 18
MANGINI, A. see SPÖTL, C. (6) 793

MARR, J.G. see KOSTIC, S. (3) 353
MATSUDA, F. see ADACHI, H. (5) 727
MAY, G. see PRESTON, J. (1) 18
McDERMOTT, F. see FRISIA, S. (5) 687
McINTOSH, W.C. see SMITH, G.A. (6) 836
MEUNIER, A. see SAMMARTINO, S. (6) 937
MILLIKEN, K.L. Observation of microbial structures in rocks using 3D light microscopy (1) 220
MONGER, H.C. see DEUTZ, P. (6) 809
MONTAÑEZ, I.P. see DEUTZ, P. (6) 809
MOORE, J.D. see SMITH, G.A. (6) 836
MORAD, S. see KETZER, J.M. (6) 760
MORK, A. see EMBRY, A.F. (5) 740
MORTON, A.C. see BOUCH, J.E. (1) 59
MOUNT, J.F. see WEISSMANN, G.S. (2) 240
MUNZ, I.A. see GIRARD, J. (6) 746
MUSTARD, P.S. see ROWE, C.A. (1) 192
MYROW, P.M. Wave-modified turbidites: combined-flow shoreline and shelf deposits, Cambrian, Antarctica (5) 641

NADEAU, P.H. see EHRENBERG, S.N. (2) 304
NADON, G.C. see LORENZ, J.C. (3) 376
NAMIKAS, S.L. A floating-element drag plate for direct measurement of bed shear stress during eolian transport (2) 327
NOFFKE, N. Microbially induced sedimentary structures—a new category within the classification of primary sedimentary structures—Reply (4) 589

OLIVER, W.L. see BUDD, D.A. (6) 917
OXTOBY, N.H. see EHRENBERG, S.N. (1) 95

PARKER, G. see KOSTIC, S. (3) 353
PARRISH, J.T. A Triassic upwelling zone: The Shublik Formation, Arctic Alaska, U.S.A.—Reply (5) 742
PARSONS, J.D. A preliminary experimental study of turbidite fan deposits (5) 619
PEACOR, D.R. see HOVER, V.C. (6) 775
PEMBERTON, S.G. see GINGRAS, M.K. (6) 871
PEMBERTON, S.G. see GINGRAS, M.K. (4) 552
PEREZ, B.C. see CAHOON, D.R. (5) 730
PEREZ, B.C. see CAHOON, D.R. (5) 734
PETRELLA, N. see GARZANTI, E. (1) 2
PICKARD, N.A. see EHRENBERG, S.N. (1) 95
PORTER-SMITH, R. see HARRIS, P.T. (6) 858
PRESTON, J. The provenance of Triassic continental sandstones from the Beryl Field, northern North Sea: mineralogical, geochemical, and sedimentological constraints (1) 18
PULHAM, A.J. see WARREN, E.A. (3) 445
PURKAIT, B. Patterns of grain-size distribution in some point bars of the Usri River, India (3) 367

QI, L. see GU, X.X. (3) 393

RAI, V. see JIANG, G. (4) 524
RANKEY, E.C. Spatial patterns of sediment accumulation on a Holocene carbonate tidal flat, northwest Andros Island, Bahamas (5) 591
RASANEN, M.E. see GINGRAS, M.K. (6) 871
READ, J.F. see KHETANI, A.B. (5) 657
REIJMER, J.J. see BLOMEIER, D.P. (4) 462
RIDING, J.B. see TROEDSON, A.L. (4) 510
ROMERO, L.P. see GINGRAS, M.K. (6) 871
ROSSI, C. see GOLDSTEIN, R.H. (3) 432
ROWE, C.A. Oriented clastic dike swarms as indicators of paleoslope? An example from the Upper Cretaceous Nanaimo Group, Canada (1) 192
RUSK, B.G. see BOGGS, S. (3) 408
RYAN, D.A. see HARRIS, P.T. (6) 858

SAHER, M.H. see IMMENHAUSER, A. (1) 82
SAITO, T. see ITO, M. (4) 491
SAITO, Y. see HORI, K. (6) 884
SAMMARTINO, S. An imaging method for the porosity of sedimentary rocks: adjustment of the PMMA Method—example of a characterization of a calcareous shale (6) 937
SARDINI, P. see SAMMARTINO, S. (6) 937
SAUNDERS, T. see GINGRAS, M.K. (4) 552
SCHWALB, A. see DEAN, W.E. (3) 416
SCHWELLER, W.J. see PARSONS, J.D. (5) 619
SEGURA, B. see CAHOON, D.R. (5) 730
SEGURA, B. see CAHOON, D.R. (5) 734
SEGURA, M. see GARCIA-HIDALGO, J.F. (1) 30
SELMO, E.M. see FRISIA, S. (5) 687
SEYEDOLALI, A. see BOGGS, S. (3) 408
SHIRAI, M. High-resolution reconstruction of Quaternary crustal movement based on sedimentary facies analysis: an example from the Oga Peninsula, northern Japan (3) 386
SIITARI-KAUPPI, M. see SAMMARTINO, S. (6) 937
SIMO, J. see TAYLOR, K.G. (2) 316
SIMPSON, E.L. Eolian dune degredation and generation of massive sandstone bodies in the Paleoproterozoic Makgabeng Formation, Waterberg Group, South Africa (1) 40
SINCLAIR, H.D. Depositional evolution of confined turbidite basins (4) 451
SMITH, G.A. Assessing roles of volcanism and basin subsidence in causing Oligocene–lower Miocene sedimentation in the Northern Rio Grande rift, New Mexico, U.S.A. (6) 836
SOMEYA, H. see ITO, M. (4) 491
SOMMER, F. see GIRARD, J. (6) 746
SOREGHAN, G.S. Atmospheric dust and algal dominance in the Late Paleozoic: a hypothesis (4) 457
SOREGHAN, M.J. see SOREGHAN, G.S. (4) 457
SOUTHARD, J.B. see PARSONS, J.D. (5) 619
SPARKS, R.J. see GLADSTONE, C. (1) 182
SPÖTL, C. Carbonate speleothems in the dry, inneralpine Vinschgau Valley, northernmost Italy: witnesses of changes in climate and hydrology since the Last Glacial Maxium (6) 793
STEINMANN, P. see JOHN, C.M. (2) 252
STELLY, C. see CAHOON, D.R. (5) 734
STELTING, C.W. see PARSONS, J.D. (5) 619
STEPHENSON, G. see CAHOON, D.R. (5) 734
STORMS, J.E. Process–response modeling of wave-dominated coastal systems: simulating evolution and stratigraphy on geological timescales (2) 226
SVANA, T.A. see EHRENBERG, S.N. (1) 95
SZTANÓ, O. see KARÁTSON, D. (6) 823

TADA, R. see SHIRAI, M. (3) 386
TANG, J.X. see GU, X.X. (3) 393
TAYLOR, K.G. Stratigraphic significance of ooidal ironstones from the Cretaceous Western Interior Seaway: the Peace River Formation, Alberta, Canada, and the Castlegate Sandstone, Utah, U.S.A. (2) 316
TELBISZ, T. see KARÁTSON, D. (6) 823
TEMINO, J. see GARCIA-HIDALGO, J.F. (1) 30
TEVISSEN, E. see SAMMARTINO, S. (6) 937
THOMAS, L. see DICKINSON, J.A. (2) 288
TOMASSO, M. see SINCLAIR, H.D. (4) 451
TREWIN, N.H. see BOUCH, J.E. (1) 59
TROEDSON, A.L. Upper Oligocene to lowermost Miocene strata of King George Island, South Shetland Islands, Antarctica: stratigraphy, facies analysis, and implications for the glacial history of the Antarctic Peninsula (4) 510
TSUJI, Y. see ADACHI, H. (5) 727

UNTERWURZACHER, M. see SPÖTL, C. (6) 793

VAN DAM, R.L. Influence of organic matter in soils on radar-wave reflection: sedimentological implications (3) 341

VAN DEN BERG, E.H. see VAN DAM, R.L. (3) 341
VAN DEN BERG, J.H. see KLEINHANS, M.G. (5) 629
VAN DIJKE, J.J. see STORMS, J.E. (2) 226
VAN HETEREN, S. see VAN DAM, R.L. (3) 341
VAN VLIET, A. see IMMENHAUSER, A. (1) 82
VANDAMME, M.G. see KENTER, J.A. (1) 129
VAUGHAN, L. see PRESTON, J. (1) 18
VERRECCHIA, E.P. Microbial biscuits of vaterite in lake Issyk-Kul (Republic of Kyrgyzstan)—Discussion (6) 944

WALKDEN, G. see HOLLIS, C. (5) 700
WALKER, K.R. see GLUMAC, B. (4) 570
WALLACE, M.W. see DICKINSON, J.A. (2) 288
WALTER, L.M. see HOVER, V.C. (6) 775
WANG, P. see HORI, K. (6) 884
WARREN, E.A. Anomalous porosity and permeability preservation in deeply buried Tertiary and Mesozoic sandstones in the Cusiana Filed, Llanos foothills, Colombia—Reply (3) 445
WEISSMANN, G.S. Glacially driven cycles in accumulation space and sequence stratigraphy of a stream-dominated alluvial fan, San Joaquin Valley, California, U.S.A. (2) 240
WELTJE, G.J. see STORMS, J.E. (2) 226
WESTPHAL, H. see KENTER, J.A. (1) 129
WHIPKEY, C.E. Development of magnesian carbonates in Quaternary soils on the island of Hawaii (1) 158
WILBERS, A. see KLEINHANS, M.G. (5) 629
WU, Y. ^{13}C-enriched carbonate in Mississippian mud-mounds: Alamogordo Member, Lake Valley Formation, Sacramento Mountains, New Mexico, U.S.A. (1) 138

YAMANO, H. see ADACHI, H. (5) 727
YOCUM, D. see TAYLOR, K.G. (2) 316

ZAITLIN, B.A. see ARDIES, G.W. (5) 602
ZHAO, Q. see HORI, K. (6) 884
ZHENG, M.H. see GU, X.X. (3) 393

United States Postal Service

Statement of Ownership, Management, and Circulation

1. Publication Title	2. Publication Number	3. Filing Date
Journal of Sedimentary Research	1 5 2 7 - 1 4 0 4	09/16/02
4. Issue Frequency	5. Number of Issues Published Annually	6. Annual Subscription Price
6 times a year	6	$210.00

7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4): 6128 East 38th St., Ste. 308; Tulsa, OK 74135-5814 (Tulsa County) — Contact Person: Theresa Scott; Telephone: (918) 610-3361 x11

8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer): 6128 East 38th St., Ste. 308; Tulsa, OK 74135-5814 (Tulsa County)

9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)

Publisher (Name and complete mailing address):
SEPM (Society for Sedimentary Geology)
6128 East 38th St., Ste. 308
Tulsa, OK 74135-5814

Editor (Name and complete mailing address): Co-Editors
Dr. David A. Budd and Dr. Mary J. Kraus
Dept. of Geological Sciences, University of Colorado
2200 Colorado Avenue; Boulder, CO 80309-0399

Managing Editor (Name and complete mailing address):
SEPM (Society for Sedimentary Geology)
Mrs. Theresa Scott
6128 East 38th St., Ste. 308, Tulsa, OK 74135-5814

10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)

Full Name	Complete Mailing Address
SEPM (Society for Sedimentary Geology)	6128 East 38th St., Ste 308 Tulsa, OK 74135-5814

11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box → ☒ None

Full Name	Complete Mailing Address
None	None

12. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one)
The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes:
☒ Has Not Changed During Preceding 12 Months
☐ Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)

PS Form 3526, October 1999 (See Instructions on Reverse)

13. Publication Title: Journal of Sed. Research	14. Issue Date for Circulation Data Below: July 2002	
15. Extent and Nature of Circulation	Average No. Copies Each Issue During Preceding 12 Months	No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)	4500	4500
b. Paid and/or Requested Circulation (1) Paid/Requested Outside-County Mail Subscriptions Stated on Form 3541. (Include advertiser's proof and exchange copies)	2139	2214
(2) Paid In-County Subscriptions Stated on Form 3541 (Include advertiser's proof and exchange copies)	----	----
(3) Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Non-USPS Paid Distribution	----	----
(4) Other Classes Mailed Through the USPS	1279	1355
c. Total Paid and/or Requested Circulation (Sum of 15b. (1), (2),(3),and (4))	3418	3569
d. Free Distribution by Mail (Samples, complimentary, and other free) (1) Outside-County as Stated on Form 3541	7	7
(2) In-County as Stated on Form 3541	----	----
(3) Other Classes Mailed Through the USPS	380	2
e. Free Distribution Outside the Mail (Carriers or other means)	----	----
f. Total Free Distribution (Sum of 15d. and 15e.)	387	9
g. Total Distribution (Sum of 15c. and 15f)	3805	3578
h. Copies not Distributed	695	922
i. Total (Sum of 15g. and h.)	4500	4500
j. Percent Paid and/or Requested Circulation (15c. divided by 15g. times 100)	89.8%	99.7%

16. Publication of Statement of Ownership
☒ Publication required. Will be printed in the November issue of this publication. ☐ Publication not required.

17. Signature and Title of Editor, Publisher, Business Manager, or Owner: Theresa K. Scott, Business Manager, SEPM — Date: 9-17-02

I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).

Instructions to Publishers

1. Complete and file one copy of this form with your postmaster annually on or before October 1. Keep a copy of the completed form for your records.
2. In cases where the stockholder or security holder is a trustee, include in items 10 and 11 the name of the person or corporation for whom the trustee is acting. Also include the names and addresses of individuals who are stockholders who own or hold 1 percent or more of the total amount of bonds, mortgages, or other securities of the publishing corporation. In item 11, if none, check the box. Use blank sheets if more space is required.
3. Be sure to furnish all circulation information called for in item 15. Free circulation must be shown in items 15d, e, and f.
4. Item 15h., Copies not Distributed, must include (1) newsstand copies originally stated on Form 3541, and returned to the publisher, (2) estimated returns from news agents, and (3), copies for office use, leftovers, spoiled, and all other copies not distributed.
5. If the publication had Periodicals authorization as a general or requester publication, this Statement of Ownership, Management, and Circulation must be published; it must be printed in any issue in October or, if the publication is not published during October, the first issue printed after October.
6. In item 16, indicate the date of the issue in which this Statement of Ownership will be published.
7. Item 17 must be signed.

Failure to file or publish a statement of ownership may lead to suspension of Periodicals authorization.

PS Form 3526, October 1999 (Reverse)

SUBJECT INDEX TO VOLUME 72

3D light microscopy (1) 220
accretionary prism (1) 2
accumulative probability (6) 929
acoustic properties (1) 129
actualistic provenance (1) 2
AEM (6) 775
Alaska (5) 742
Alberta (5) 602
algae (4) 457
alluvial architecture (4) 500
alluvial fans (2) 240
Altiplano (5) 711
Amazonia (6) 871
Andes (5) 711
Annot (4) 451
Antarctica (4) 510, (5) 641
apatite (1) 59
Appalachian Basin (5) 657
aquifer heterogeneity (2) 240
aragonite (5) 687
arithmetic probability paper (6) 929
avulsion (4) 500, (5) 619

bacterial fermentation (1) 138
Bahamas (1) 129
Bangold effect (1) 166
barchans (5) 629
bed stress (2) 327
behavior (4) 552
bench mark (5) 730
Beryl Field (1) 18
beta radiation (6) 937
Bighorn Basin (1) 46
biostratigraphy (2) 252
brackish-water (6) 871
braided (3) 376
Brendt sandstones (6) 746
buried conditions (1) 171

$CaCO_3$ (3) 416
caliche (6) 917
California (2) 268
Cambrian (4) 570, (5) 641
cap rock (1) 68
carbon and oxygen isotopes (6) 809
carbon cycle (3) 416
carbon isotope (1) 46, (3) 416
carbonate (1) 129, (1) 138, (1) 158, (6) 849
carbonate diagenesis (1) 95, (4) 570
carbonate platform (4) 462
carbonate platform architecture (6) 898
carbonate sediments (5) 591
carbonate-ramp (5) 657
carbonates (1) 82
Caribbean (4) 559
cathodoluminescence (1) 95, (3) 432
cathodoluminescence (CL) color (3) 408
cementation (1) 116, (5) 700
Changjiang (Yangtze) River (6) 884
channel formation (5) 619
chemostratigraphy (1) 82
China (3) 393
clastic dike (1) 192
clastic sill (1) 171
clay flow (3) 336
clays (6) 937
climate and environmental proxies (6) 809
climate change (6) 793
clinoforms (3) 353
coastal depositional system (6) 884
Colombia (3) 443
compaction (1) 116
correlation (1) 59, (2) 304
Cretaceous (1) 192
crustal movement (3) 386
cyclicity (6) 898

deltas (3) 353
density current dynamics (1) 182
diagenesis (1) 82, (1) 129, (1) 146, (2) 304, (5) 687, (6) 746
dispersive pressure (1) 166
dolomite (1) 146, (1) 158, (4) 559
dolomitization (4) 559
drag plate (2) 327
dune deposits (1) 40
dunes (5) 629

early diagenesis (6) 775
Early Jurassic (4) 462
East Texas Basin (1) 68
eolian dunes (3) 341
eolian silt (4) 457
eolian sediments (1) 30, (2) 327
eolianites (1) 40
error (5) 730

fabrics (5) 687
facies analysis (2) 268, (3) 386
facies architecture (4) 491
falling stage deposits (4) 491
filamentous microbes (1) 220
fill-and-spill (4) 451
floodplain (4) 500
fluid inclusions (6) 746
fluids (5) 700
fluvial (3) 376
foresets (3) 353
fracture (5) 700

geochemical evidence (3) 393
geochemistry (1) 18, (1) 158
Geographic Information Systems (5) 591
glacial history (4) 510
glaciomarine sedimentation (4) 510
grading (1) 166, (1) 182
grain flow (1) 166
grain shape (3) 363
grain size break (1) 182
grain-size (2) 226
Grand Cycle (4) 570
granulometry (6) 929
graphics (6) 929
ground-penetrating radar (3) 341
growth (1) 146

heavy minerals (1) 2, (1) 18, (1) 59
heterogeneity (6) 937
high-energy (3) 376
Hild field (6) 746
Holocene (1) 30, (5) 591

Iberian Peninsula (1) 30
ice-rafted debris (4) 510
ichnofossils (5) 742
ichnology (4) 552, (6) 871
image analysis (6) 933
incised valley fill (6) 884
incised-valley networks (5) 602
Infra Krol Formation (4) 524
intrastratal flow (1) 171
inverse grading (1) 166
iron (4) 457
iron (3) 416
isotope geochemistry (6) 746
isotopes (1) 146, (5) 687

Jacob's staff (3) 449

karst breccia (6) 917
Krol Group (4) 524
K-uptake (6) 775

lake (3) 443
laser light (3) 449
late Paleozoic (4) 457
Lesser Himalaya (4) 524
leveling device (5) 730
limestones (1) 116
liquidization (1) 171
lithofacies (6) 898
loess (4) 457
Lower Cretaceous (5) 602
Lower Pennsylvanian (1) 82
low-permeability rock (6) 937
lowstand (4) 491
luminosity (3) 408

Macaronichus (4) 552
magmatic arc (1) 2
magnetic resonance imaging (4) 552
manganese (3) 416
Marnoso-arenacea Formation (1) 182
massive sandstones (1) 40
Maynardville (4) 570
microbial structures (1) 220
microbialites (1) 201
microprobe (1) 95
migration (5) 700
mineralization (5) 700

JOURNAL OF SEDIMENTARY RESEARCH, VOL. 72, NO. 6, NOVEMBER, 2002, P. 960–961

Copyright © 2002, SEPM (Society for Sedimentary Geology)

1527-1404/02/072-960/$03.00

Miocene ..... (2) 252, (2) 268, (2) 288, (4) 476, (4) 510, (6) 871
Mississippian ..... (5) 657
modeling ..... (6) 849
moisture-retention characteristics ..... (3) 341
Monterey Formation ..... (2) 252
Morocco ..... (4) 462
MRI ..... (4) 552
mudflat ..... (4) 543
mud-mounds ..... (1) 138
mudstones ..... (1) 201, (6) 937

Nanaimo ..... (1) 192
neodymium ..... (2) 304
Neoproterozoic ..... (4) 524
North Sea ..... (4) 476
northern Japan ..... (3) 386
nuclear waste repository ..... (6) 937
nucleation ..... (1) 146
numerical modeling ..... (2) 226

oblique-inclined section ..... (1) 217
oblique-vertical section ..... (1) 217
organic matter ..... (3) 341
organic matter preservation ..... (2) 252
oscillatory zoning ..... (4) 559
overprinting ..... (6) 809

paleocurrent analysis ..... (1) 217
paleoecology ..... (6) 898
paleogeography ..... (4) 476
Paleoproterozoic ..... (1) 40
paleoslope ..... (1) 192
paleosols ..... (6) 809, (6) 917
pathlength ratio ..... (6) 933
pedogenic carbonates ..... (6) 809
Pennsylvanian ..... (6) 898
permeability ..... (1) 116, (3) 443, (4) 552
petrography ..... (1) 46, (1) 220
phosphogenesis ..... (2) 252
physical modeling ..... (5) 619
platform ..... (6) 849
Pliocene ..... (2) 288
porosity ..... (4) 552, (6) 933, (6) 937
production ..... (6) 849
progradation ..... (3) 353
Proterozoic turbidites ..... (3) 393
provenance ..... (1) 18, (2) 304, (3) 393, (3) 408, (5) 711

quartz ..... (3) 408
quartz overgrowths ..... (3) 432

Quaternary ..... (6) 793
Quaternary stratigraphy ..... (2) 240

radiocarbon dating of carbonates ..... (6) 809
rare earth elements ..... (1) 59
reflection characteristics ..... (3) 341
remote sensing ..... (5) 591
reservoir ..... (3) 443
Reynolds number ..... (3) 363
rhizoliths ..... (6) 917
rhythmite ..... (4) 543
rift sedimentation ..... (6) 836
Rio Grande rift ..... (6) 836
ripples ..... (5) 629
rod SET ..... (5) 734

salt dome ..... (1) 68
San Joaquin Valley ..... (2) 240
sand ribbons ..... (5) 629
sand-gravel bed rivers ..... (5) 629
sandstone ..... (2) 304, (3) 443, (5) 711
sandstone cementation ..... (1) 68
sandstone diagenesis ..... (3) 432
scanning electron microscopy ..... (3) 408
SE Australia ..... (2) 288
sea level ..... (2) 226
sea level change ..... (6) 884
sediment ..... (6) 849
sediment budget ..... (2) 226
sediment concentration ..... (3) 336
sediment transport ..... (3) 363
sedimentation ..... (3) 336
sedimentation-erosion table ..... (5) 734
sedimentology ..... (5) 742
segregation ..... (1) 166
seismogenic deformation structures ..... (1) 201
sequence stratigraphy ..... (2) 240, (2) 268, (4) 462, (4) 524, (5) 657, (6) 884
SET ..... (5) 730
settling velocity ..... (3) 363
shelf ..... (4) 476
Shetland Platform ..... (1) 18
silica ..... (3) 432
slope sedimentation ..... (4) 462
slump ..... (1) 192
smectite ..... (6) 775
soft-sediment deformation ..... (1) 171
soils ..... (6) 809
South Africa ..... (1) 40
southern Appalachians ..... (4) 570
spatial statistics ..... (5) 591

speleothems ..... (5) 687, (6) 793
Sr isotopes ..... (1) 158
stable isotope ..... (1) 46, (1) 68, (1) 95, (1) 138
Starshot Formation ..... (5) 641
Statfjord Formation ..... (1) 59
statistics ..... (6) 929
STEM ..... (6) 775
storm ..... (4) 543
storms ..... (5) 641
stratigraphic sections ..... (3) 449
strike-slip basin ..... (2) 268
subaerial exposure ..... (6) 917
sub-basins ..... (4) 451
subduction complex ..... (1) 2
subsidence ..... (3) 386, (6) 836
surface elevation table ..... (5) 734

taphonomy ..... (1) 46
Taveyannaz ..... (4) 451
tectonic ..... (2) 288
tectonic setting ..... (3) 393
tectonics ..... (5) 711
tempestite ..... (5) 641
Tertiary ..... (4) 559
Th/U ..... (6) 793
thermocline ..... (1) 82
three-dimensional variation ..... (4) 491
tidal couplets ..... (4) 543
tidal-influence ..... (6) 871
tides ..... (4) 543
tortuosity ..... (6) 933
Triassic ..... (5) 742
trough axis ..... (1) 217
trough cross-stratification ..... (1) 217
tufa ..... (6) 793
turbidites ..... (1) 182, (4) 451, (5) 619
turbidity currents ..... (3) 353, (5) 619
turbulence structure ..... (3) 336

uplift ..... (2) 288
upwelling ..... (5) 742
Utsira ..... (4) 476

Vertisols ..... (4) 500
volcaniclastic sedimentation ..... (6) 836

Wasatch ..... (3) 376
weathering ..... (1) 158
well logs ..... (1) 129
wetland benchmark ..... (5) 734
wetland elevation ..... (5) 730, (5) 734